




Industrie

REMACLEAN GRB

REMACLEAN GRB is a belt cleaning system with an electrically-driven rubber brush for the cleaning of sticky and powdery materials from conveyor belt top covers.

REMACLEAN GRB is universally applicable for many types of sticky and powdery materials. When caking is heavy, a primary belt cleaner must be used. The solid design allows application for belt speeds up to 2.5 m/s. The rubber bristles optimally adapt to the belt surface and guarantee effective and belt-friendly cleaning. The rubber brush, the robust steel construction and the direct drive ensure long service life and high reliability.



REMACLEAN GRB

Advantages

- Very good cleaning efficiency also on belts with damaged top covers
- Ideal in combination with a primary belt cleaning system
- Direct drive from electric motor via TSCHAN clutch
- Long service life through use of high-quality rubber compound
- Modular system consisting of brush, mounting frame with brackets and electric motor
- Constant and ideal contact pressure easily adjustable by using tension screws
- Adjustable by one person, specialist knowledge not required
- Belt friendly cleaning
- Suitable for shuttle belt conveyors
- Belt speeds up to 2.5 m/s






Industrie

REMACLEAN GRB

Technical data

| Belt width (mm) | Brush width (mm) | Assembly width (mm) | Total width (mm) | Motor capacity (kW) |
|-----------------|------------------|---------------------|------------------|---------------------|
| "GB" | | "A" | "B" | |
| 400 | 400 | 707 | 1152 | 0.55 |
| 500 | 500 | 986 | 1500 | 0.55 |
| 650 | 650 | 1110 | 1544 | 0.75 |
| 800 | 800 | 1377 | 1814 | 0.75 |
| 1000 | 1000 | 1512 | 1952 | 0.75 |
| 1200 | 1200 | 1950 | 2435 | 1.1 |
| 1400 | 1400 | 2150 | 2635 | 1.1 |
| 1600 | 1600 | 2350 | 2905 | 1.1 |
| 1800 | 1800 | 2550 | 3105 | 1.5 |
| 2000 | 2000 | 2750 | 3305 | 1.5 |



Voltage of electric motor: 230/380 V.
Other models also available on request.

Models with V rubber bristles (self-extinguishing, moderately oil and grease resistant)
as well as in FOOD, WHITE (food quality) on request

REMA TIP TOP GmbH
Business Unit Industrie

Gruber Strasse 63
Phone:
Fax:
www.rema-tiptop.com

85586 Poing/Germany
+49 8121 707-245
+49 8121 707-222
info@tiptop.de